

03/07/00
Jc777 U.S. PTO

03-08-00

A

LIMBACH & LIMBACH L.L.P.
2001 Ferry Building, San Francisco, CA 94111
415/433-4150

Address to:

Box Patent Application
Assistant Commissioner for Patents
Washington, D.C. 20231

Attorney's Docket No. SONY-T0291

[S00P0291US00]

First Named Inventor KOICHI MATSUDA

UTILITY PATENT APPLICATION TRANSMITTAL
(under 37 CFR 1.53(b))

SIR:

Transmitted herewith for filing is the patent application entitled:

INFORMATION PROCESSING SYSTEM, INFORMATION PROCESSING METHOD AND APPARATUS,
AND INFORMATION SERVING MEDIUM

Jc584 U.S. PTO
09/520910
03/07/00

CERTIFICATION UNDER 37 CFR § 1.10

I hereby certify that this New Application and the documents referred to as enclosed herein are being deposited with the United States Postal Service on this date March 7, 2000, in an envelope bearing "Express Mail Post Office To Addressee" Mailing Label Number EL387309224US addressed to: Box Patent Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

John Lyddan

(Name of person mailing paper)

John Lyddan
(Signature)

Enclosed are:

1. X Transmittal Form (two copies required)
2. The papers required for filing date under CFR § 1.53(b):
 - i. 35 Pages of specification (including claims and abstract);
 - ii. 14 Sheets of drawings.
 formal X informal
3. Declaration or oath
 - a. X Unsigned

ACCOMPANYING APPLICATION PARTS

4. An assignment of the invention to Sony Corporation is attached (including Form PTO-1595).
 - i. 37 CFR 3.73(b) Statement (when there is an assignee)
5. X Power of Attorney (unsigned)
6. An Information Disclosure Statement (IDS) is enclosed, including a PTO-1449 and copies of references.
7. Preliminary Amendment.
8. X Return Receipt Postcard (MPEP 503 -- should be specifically itemized)
9. FOREIGN PRIORITY
 - [x] Priority of application no. P11-065184 filed on March 11, 1999 in Japan is claimed under 35 USC 119.

The certified copy of the priority application:

- X is filed herewith; or
- has been filed in prior application no. filed on , or
- will be provided.

 English Translation Document (if applicable)

10. FEE CALCULATION

- a. ☐ Amendment changing number of claims or deleting multiple dependencies is enclosed.

CLAIMS AS FILED

	Number Filed	Number Extra	Rate	Basic Fee (\$690)
Total Claims	11 - 20	* 0	x \$18.00	0
Independent Claims	6 - 3	* 3	x \$78.00	234.00
<input type="checkbox"/> Multiple dependent claim(s), if any			\$260.00	0

*If less than zero, enter "0".

Filing Fee Calculation \$924.00

50% Filing Fee Reduction (if applicable) \$

11. Small Entity Status

- a. ☐ A small entity statement is enclosed.
b. ☐ A small entity statement was filed in the prior nonprovisional application and such status is still proper and desired.
c. ☐ is no longer claimed.

12. Other Fees

- ☐ Recording Assignment [\$40.00] \$0
☐ Other fees
Specify _____ \$0

Total Fees Enclosed \$924.00

13. Payment of Fees

- ☒ Check(s) in the amount of \$ 924.00 enclosed.
☐ Charge Account No. 12-1420 in the amount of \$____.
A duplicate of this transmittal is attached.

14. All correspondence regarding this application should be forwarded to the undersigned attorney:

Charles P. Sammut
Limbach & Limbach L.L.P.
2001 Ferry Building
San Francisco, CA 94111
Telephone: 415/433-4150
Facsimile: 415/433-8716

15. Authorization to Charge Additional Fees

- ☒ The Commissioner is hereby authorized to charge any additional fees (or credit any overpayment) associated with this communication and which may be required under 37 CFR § 1.16 or § 1.17 to Account No. 12-1420. **A duplicate of this transmittal is attached.**

LIMBACH & LIMBACH L.L.P.

March 7, 2000
(Date)

Attorney Docket No. SONY-T0291
[SOOP0291US00]

By: _____

Charles P. Sammut
Registration No. 28,901
Attorney(s) or Agent(s) for Applicant(s)

BY EXPRESS MAIL NO. EL387309224US
Attorney Docket No. SONY-T0291

TITLE OF THE INVENTION

Information Processing System, Information Processing Method and
Apparatus, and Information Serving Medium

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates to an information processing system, information processing method and apparatus, and an information serving medium, and more particularly, to an information processing system, information processing method and apparatus, and an information serving medium, adapted to define the structure and movement of a virtual living object in a virtual space and manage the action and character of the virtual living object.

2. Description of the Related Art

In the field of the so-called personal computer communication service (e.g., NIFTY-Serve (trademark) in Japan, CompuServe (trademark) in USA, etc.) that a plurality of users connect their own personal computers to a host computer in a communication service center via modems and public telephone networks and access the host computer based on a predetermined communication protocol, services to provide a virtual community space called "cyberspace" (e.g., Habitat (trademark), etc.) are known.

Note that the development of the above Habitat was started by the LucasFilm, USA, in 1985 and had been in service for about three years by the

QuantumLink being a commercial network in USA, and it was put into service as the Fujitsu Habitat (trademark) by the NIFTY-Serve in February, 1990. The Habitat provides a service to enable the user to send his alter ego called "avatar (incarnation of a god in the Indian myth)" to a virtual city called "Populopolis" depicted by the 2D (two-dimensional) graphics and where the user can have a chat with the other users of the same communication service. The "chat" is a text-based real-time conversation in which the users can take participate by typing a line of text words and watching their display screens. Further details are referred to "Cyberspace: First Steps", Michael Benedikt, ed. MIT PressCambridge, MA ISBN0-262-02327-X, pp. 282-307.

In the conventional cyberspace systems operated in the personal computer communication services of this type, the virtual streets lined with stores and houses and room interior are depicted by the 2D graphics and the avatar to be moved away from this side or towards this side can only be moved up and down in the background of the 2D graphics. That is, the conventional cyberspace systems cannot provide a sufficient representation of an avatar's walking and movement in the virtual space for a virtual experience of them. Also, in the conventional cyberspace systems, a virtual space in which an avatar being an alter ego of the user and those of the other users are represented will be viewed through the third party's eyes, so no satisfactory virtual experience cannot be assured.

To avoid the above drawbacks, it has been proposed as in the disclosure of

the Japanese Unexamined Patent Publication No. 9-81781 to represent a virtual space by the 3D (three-dimensional) graphics and use a three-dimensional graphic data descriptive language called VRML (Virtual Reality Modeling Language) to implement a function that the user can freely walk around with the avatar's viewpoint. Also, various types of cyberspace in which the avatar being an alter ego of the user can have a chat with the other users are considered in the Journal "Nikkei Electronics", September 9, 1996 (No. 670), pp. 151-159.

Recently, there have been commercially available personal computer game software such as a fish feeding simulation game, a simulation game for feeding a virtual creature having an artificial intelligence and living in a virtual space, etc. Also, there has been proposed an electronic notebook adapted for the user to display on a screen thereof a simulated pet such as a dot, cat or the like which grows up step by step and amuse himself or herself by watching the process of their growth (see the Nikkei Electronics, July 4, 1997 (No. 686), pp. 131-134). Moreover, an egg-sized portable electronic pet in which a feeding simulation game software of this type is installed is widely known (under the trademark "Tamagocchi" of the Bandai).

This type of portable electronic pet uses a single-chip LSI (large scale integrated circuit) having built therein a CPU (central processing unit), a ROM in which such a feeding simulation game software is stored, a RAM, and the like, and it has also a LCD (liquid crystal display) screen on which a figure and status of a

virtual pet are displayed. The user of this product operates control buttons to give commands "feed", "clean", etc. necessary for feeding the virtual creature as a pet. As a result, the virtual creature displayed on the LCD screen will grow up changing in appearance in the process of growing from an egg step, chick step and to an adult bird step, for example.

The game software is so programmed that at each button operation by the user, the virtual creature will grow smoothly if the command from the user is appropriate while it will be sick or die if the command is not appropriate. Further, a calender timer is included in the software. Based on an elapsed time from the birth of the virtual creature, defined by the calender timer, the virtual creature will make various requests to the user. The requests include a desire for sleep when in the night time zone, request for a meal when in the mealtime zone, request for a snack, and a desired for playing at any time, for example. If the user cannot respond to such requests properly, the virtual creature will grow slow and become ill-minded. If the requests are properly satisfied by the user, the virtual creature lives a longer life.

A technique to display an image corresponding to each step of growth of an animal or plant is disclosed in the Japanese Unexamined Patent Publication No. 7-160853, for example. This is applicable to an electronic notebook. More specifically, bit map images for various steps of growth of a plant character are stored in a ROM. At each stage of growth, a corresponding plant character is

displayed on an LCD screen of the electronic notebook, and also characters of plant developing elements (water, light and fertilizer) previously stored in the ROM are displayed on the LCD screen. By key input of doses of the plan developing elements, values of the plant developing elements corresponding to the entered doses are set in water, light and fertilizer dose registers, respectively, in the RAM. Based on these values in the registers, new degree of growth is calculated, and a plant character corresponding to the calculated degree of growth is read from the ROM and displayed on the LCD screen. Thus, the steps of the plant growth corresponding to the conditions of plant development entered by the user are displayed.

However, the action, structure, etc. of an object (character) in the above-mentioned virtual space are defined by the service provider and cannot freely be changed or modified by a client (user).

OBJECT AND SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide an information processing system, information processing method and apparatus, and an information serving medium, adapted such that the action, structure, etc. of an object in a virtual space can freely be changed or modified by the user.

The above object can be attained by providing an information processing system in which a server and a terminal are connected to each other via a network, a virtual community space accessible from a plurality of such terminals is built, a

node for interpretation of the movement of a virtual living object is provided at each of the terminals, and a management node for the virtual living object in the virtual community space is provided at the server.

Also, the above object can be attained by providing an information processing method and apparatus, in which a virtual living object is built, a terminal is connected to a server via a network, a virtual community space is built based on information supplied from the server, and the virtual living object is transmitted along with a movement interpretation node to the virtual community space.

Also, the above object can be attained by providing an information processing method and apparatus, in which a server is connected to a terminal via a network, a virtual living object built by the terminal and a movement interpretation node are received, and a management node for the virtual living object in a virtual community space is generated based on the movement interpretation node.

Also, the above object can be attained by providing an information serving medium for serving a computer program including the steps of interpreting at least the structure of a virtual living object built as a one which can be provided in a virtual community space, communicating with a master managing mechanism which manages the virtual living object in the virtual community space, and moving the built life object based on data generated by the master managing mechanism to control at least the action of the virtual living object.

In the information processing system, information processing method and

apparatus and information serving medium according to the present invention, a movement interpretation node for a virtual living object is provided at a terminal, and management node for the virtual living object in a virtual community space is provided at the server, thereby permitting the user to freely change or modify the movement, structure, etc. of the virtual living object.

These objects and other objects, features and advantages of the present invention will become more apparent from the following detailed description of the preferred embodiments of the present invention when taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows the base configuration of an embodiment of the information processing system according to the present invention;

FIG. 2 is a flow chart of basic operations including serving a virtual community space from a shared server in the information processing system correspondingly to a login from a client PC (personal computer) and transmission of data of a virtual living object from an AO (application object) server;

FIG. 3 is a flow chart of basic operations of the client PC when connected to the shared server;

FIG. 4 is a flow chart of operations from generation of a virtual living object at the client PC up to transmission of the virtual living object to the AO server;

FIG. 5 is a flow chart of operations up to generation at the AO server of an

object management node from a virtual living object built at the client PC;

FIG. 6 is a flow chart of operations from determination of an action and character of a virtual living object based on the object management node up to updating of the action and character parameters correspondingly to a response from the client PC;

FIG. 7 is a flow chart of operations of the virtual living object in the virtual community space based on the behavior data and operations up to transmission to the AO server of an action the user has made to the virtual living object;

FIG. 8 shows an example of parameter management table;

FIG. 9 explains the skeletal structure and joint IDs of a human-like virtual living object;

FIG. 10 explains an example of structure and movement parameters;

FIG. 11 explains an example of action and character parameters;

FIG. 12 shows a detailed configuration of the embodiment of information processing system according to the present invention;

FIG. 13 is a block diagram of an example of the client PC in FIG. 12;

FIG. 14 explains the flow of operations from reading a home page at a web site serving VRML contents up to downloading of a VRML content to the client PC, in the information processing system in FIG.12;

FIG. 15 explains the flow of operations up to interpretation and execution of VRML 2.0 file by the client PC and inquiry of URL (Uniform Resource Locator) of

the shared server, in the information processing system in FIG. 12; and

FIG. 16 explains the flow of operations from reception by a plurality of client PCs of data on a three-dimensional object view the shared server up to implementation of a multi-user environment, in the information processing system in FIG. 12.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Prior to proceeding to the explanation of the embodiment of the present invention, the VRML (Virtual Reality Modeling Language), a descriptive language usable in the Internet, a worldwide computer internetwork, to handle three-dimensional information commonly in the framework of the WWW (Space-Wide Web) which serves various kinds of information, will briefly be described below.

The VRML is a three-dimensional graphics describing language enabling to describe a three-dimensional space and set hypertext links for an object depicted by a three-dimensional graphics, thereby permitting to access WWW servers one after another while tracking the hypertext links, and a VRML browser has been developed for representation of the three-dimensional space described in the VRML. Further details are referred to the "VRML : Browsing & Building Cyberspace, Mark Pesce", 1995 New Readers Publishing ISBN 1-56205-498-8 and "Recent Trend of VRML and CyberPassage", Kouichi Matsuda and Yasuaki Honda, Bit (Kyouritsu Shuppan), 1996, No. 7 Vol. 29-36, 57-65, 9-29 and 29-36, No. 10 pp. 49-58. Also, the official and complete specification of the VRML in the

Virtual Reality Modeling Language Version 2.0 ISO/IEC CD 14772 issued August 4, 1996 is open to the public at the Internet home page "<http://www.vrml.org/technicalinfo/specifications/vrml97/index.htm>" (its version in Japanese is open to the public at the Internet home page "<http://www.webcity.co.jp/info/andoh/VRML/vrm12.0/spec-jp/index.html>"). Furthermore, a browser and shared server software for VRML 2.0 has been developed by and commercially available from the Sony, the applicant of the present invention, under the trademark "Community Place Browser / Bureau", of which a version (sample) can be downloaded from the Internet home page "<http://vs.sony.co.jp>".

To build a virtual three-dimensional space using such a VRML 2.0, an VRML file representing a desired content is generated by preparing, in the VRML, graphic data indicative of a shape, movement, position, etc. of an object in a virtual space (modeling), adding, to the model in the screen-displayed virtual space, a switch (sensor) which will generate an event when pointed by clicking the mouse for example (addition of sensor), programming a script which will implement an event generated correspondingly to the pointing to the sensor (scripting), and routing between an operation made to the sensor and the graphic data and script such as start of a script (graphic data, script and common node such as write defined in the VRML will also be referred to as "node" hereinafter). For example, how to write VRML 2.0 and sample data are explained at the Internet home page "<http://www.ses.co.jp/SES/STAFF/kan/howto/howto1.html>".

In the VRML 2.0, data consists of a node and field. The field will pass a variable to the node to designate a parameter of the node. The field may be omitted. In case the field is omitted, a default value is used for it. The field includes a “single value field (SF)” having a single value and a “multi-value field (MF)” having multiple values. The node functions and field are referred to “Appendix1: VRML 2.0 Node List”.

In the VRML 2.0, there is defined a mechanism for implementation of behavior in the VRML virtual space. The mechanism of the behavior is disclosed in detail in Chapter 4. Concepts of the specification “Virtual Reality Modeling Language Version 2.0, ISO/IEC CD 14772 opened at the Internet home page “<http://www.vrml.org/technicalinfo/specifications/vrml97/index.htm>” and its Japanese version “<http://www.webcity.co.jp/info/andoh/VRML/VRML2.0/spec-jp/part1/concepts.html>”. The chapter 4 covers key concepts for utilization of the VRML specification, such as general items concerning various nodes, including how to combine a node in a scene graph, how to generate and receive an event by a node, how to prepare a node type by a prototype, how to export for addition of a node type to the VRML and for external use of it, and how to combine in the VRML file a script operating as a program.

There has been proposed a technique for management of the action and character of a virtual living object in a virtual community space by providing at a user (client PC) a node enabling to build at the client PC a virtual living object in a

virtual community space and defining the bones, joints, surface condition, limits of joint movement, and movement of the bones and joints, for example, of the built virtual living object (will be referred to as "movement interpretation node" hereinafter), transferring to a server a virtual living object having the movement interpretation node, built by the client PC, generating, at the server, an manager for the virtual living object based on the movement interpretation node, and applying a mechanism which can implement the behavior as defined in the VRML 2.0. Note that the virtual living object includes various types such as human type, animal type, etc.

Referring now to FIG. 1, there is schematically illustrated an embodiment of the information processing system according to the present invention, in which for example a human type virtual living object is built at a user's client PC (personal computer) 110, and there is generated at an AO server 100 a manager to manage the action, character, etc. of the virtual living object based on a structure interpretation node of the virtual living object.

As shown in FIG. 1, each of the client PCs 110, 120, 130, 140, ... (of which only the client PC 110 will be take hereinafter for the simplicity of the illustration and description of the present invention) is for example a personal computer terminal (actually, the terminal is a keyboard, mouse or the like the user operates) 113, and connectable to the Internet or the like via a variety of communication lines such as public telephone lines led to homes. The client PC 110 has installed a

program for a movement interpretation node 112 which defines the bones and joints, and limits of joint movement and the movement of the bones and joints of for example a human type virtual living object 111. That is, the movement interpretation node 112 includes a software module, for example, a program having communication functions described in the so-called Java (trademark of the Sun Microsystems, USA) or the like, and can recognize the arthromeres and parts (e.g., head, hands, feet, etc.) of the virtual living object built in conformity to a predetermined standard. Each client PC sends data on the virtual living object 111 having the movement interpretation node to a shared server 105 via the Internet or the like.

The above shared server 105 is to manage the position and movement of a three-dimensional object shared in a virtual community space and also the communication between an AO (application object) server 100 and each client PC 110. For example when data on the virtual living object 111 has been transmitted from the client PC 110, it will be transferred to a master controller 103 of the AO server 100. When data on virtual living objects 101 in the virtual community space have been transmitted from the AO server 100, they will be transmitted simultaneously to multiple client PCs by a multi-casting facility 106. Also, when the client PC 110 has made some action in response to the virtual living object in the virtual community space, the position and movement of the three-dimensional object are managed correspondingly to the action, and the action is transferred to

the AO server 100.

The AO server 100 manages, by the master controller 103, the behavior (action, character, etc.) of each of virtual living objects in the virtual community space. Also, the master controller 103 in the AO server 100 transmits and receives information to and from the shared server 105.

When the virtual living object 111 with the movement interpretation node 112 has entered into the virtual community space, the communication facility included in the movement interpretation node 112 provides a communication with the master controller 103 in the AO server 100. Note that actually, to enter the virtual living object 111 generated at the client PC 110 into the virtual community space, a browser is started up at the client PC 110 to open the window to the virtual community space and the virtual living object 111 is entered into the virtual community space by drag and drop for example.

Thus, when the virtual living object 111 having the movement interpretation node 112 has come into the virtual community space, the master controller 103 of the AO server 100 will communicate with the movement interpretation node 112, thereby generating a manager for the virtual living object 112 having the movement interpretation node 112 (will be referred to as "object management node 102" hereinafter). The object management node 102 will extract from the movement interpretation node 112 parameters which define the bones and joints, and limits of joint movement, and movement of the bones and joints, and determine the

movement, character, etc. of the virtual living object 101 in the virtual community space based on the parameters. In the following, the parameters defining the bones and joints, limits of joint movement, and the movement of the bones and joints of the virtual living object 111 will be referred to as "structure and movement parameters" while the parameters defining the movement and character of the virtual living object 101 will be referred to as "action and character parameters".

As having been described in the above, the virtual living object 101 (111) to be managed by the object management node 102 of the AO server 100 is transmitted to the plurality of client PCs 110, 120, 130, 140, ... by the multi-casting facility 106 of the shared server 105 at the same time. Thus, at each client PC, there will exist in the shared virtual space the plurality of virtual living objects 101 generated at the multiple client PCs and managed by the object management node 102 corresponding to the AO server 100, and virtual living objects generated and managed by the AO server 100 itself.

At this time, the movement interpretation node 112 of the client PC 110 communicates with the master controller 102 of the AO server 100 to enable a variety of actions such as joint movement, voicing, facial expression, etc. of the virtual living object 101 in the virtual community space based on a standardized protocol.

Also, the object management node 102 incorporates a speech function, thinking function, remembering function and a learning function for the virtual

living object 101. Therefore, the speech function of the object management node 102 enables virtual living objects to have a conversation between them in the virtual community space, the thinking and remembering functions enable to raise a virtual living object in the virtual community space by education and training, and the learning function enables a virtual living object to send itself an electronic mail. Also the object management node 102 permits each virtual living object to real-time interact, exchange greetings, talk, have a fight, and fall in love, with the other in the virtual community space. Further, there can exist in the virtual community space a avatar for the user himself or herself and an object (bot) operable under any other computer program. Therefore, a conversation or the like is possible between the avatar and bot. In the Internet, there can exist a plurality of virtual community spaces whose virtual community spaces are different from one to another master controller 103 of the AO server 100 and can provide different services.

Referring now to FIGS. 2 to 7, there will be illustrated and described a flow of operations including basic operations in the information processing system having been described in the foregoing with reference to FIG. 1, generation of the virtual living object 111 at the client PC 110, management of the virtual community space by the shared server 105, management of the virtual living object 101 by the AO server 100, etc.

FIG. 2 shows a basic flow of operations including serving from the shared server 105 of the information processing system in FIG. 1 of a virtual community

space to a client PC 110 in response to a login from the client PC 110 and transmission from the AO server 100 of data on a virtual living object.

As shown in FIG. 2, the shared server 105 judges at step S11 whether a log has been made from the client PC 110, that is, the user 113. When it is judged that the login has been made, the system goes to step S12.

When the login has been made from the user 113, the shared server 105 transmits data on the virtual community space to the client PC 110 and transfers data on a virtual living object in the AO server 100 to the client PC 110.

FIG. 3 shows a basic flow of operations of the client PC 110 when connected to the shared server 105.

As shown in FIG. 3, the client PC 110 is connected to the shared server 105 at step S21 when a command for login is given from the user 113.

After connected to the shared server 105, the client PC 110 waits, at step S22, for reception of all data in the virtual community space and data on an object in the virtual community space.

When all data in the virtual community space and data on the object in the virtual community space are received at step S22, data are recorded into an internal hard disc or stored into an internal memory at step S23, and the virtual community space is displayed, at step S24, on a monitor screen based on the recorded data.

FIG. 4 shows a flow of operations from generation of a virtual living object 111 at the client PC 110 up to transmission of the virtual living object 111 to the AO

server 100.

As shown in FIG. 4, the user 113 operates, at step S31, the client PC 110 to first build a virtual living object 111. This virtual living object 111 is built by combining the arthromeres or parts, for example, of the virtual living object. Each arthromere or part can be acquired from an Internet archive for example, or can be created by the user himself using an editor software or the like installed in the client PC. Note that the arthromeres or parts created by the user can be stored in the Internet archive. The arthromeres or parts thus stored in the Internet archive comply with a predetermined standard. Therefore, by combining the standardized arthromeres or parts, each user can freely build a virtual living object.

When the virtual living object 111 has been built at step S31, the movement interpretation node 112 at the client PC 110 transmits, at step S32, data on the virtual living object 111 having the movement interpretation node 112 to the server.

FIG. 5 shows a flow of operations up to generation, at the AO server 100, of an object management node from the virtual living object 111 built at the client PC 110.

As shown in FIG. 5, the master controller 103 of the AO server 100 receives, at step S41, from the client PC 110 the virtual living object 110 having the movement interpretation node 112.

At this time, a program having the movement interpretation node 112 communicates, at step S42, with the master controller 103 in the AO server 100 to

generate a manager for the virtual living object 111 having the movement interpretation node 112 (object management node 102).

Next, the object management node 102 extracts, at step S43, from the movement interpretation node 112 structure and movement parameters which define the bones and joints, limits of joint movement, and movements of the bones and joints of the virtual living object 111, and generates a parameter management table from the parameters and action and character parameters which define the action and character of the virtual living object 101 in the virtual community space.

FIG. 6 shows a flow of operations from determination at the AO server 100 of an action and character of a virtual living object 101 based on the object management node 102, through transmission of the data on the virtual living object 101 from the shared sever 105 to the client PC 110, up to updating, at the AC server 100, of the action and character parameters of the object management node 102 correspondingly to a response (action) from the client PC 110.

As shown in FIG. 6, first the object management node 102 in the AO server 100 determines, at step S51, an action and character (action and character parameter values) of the virtual living object 101 by a mechanism which implements a behavior in the VRML virtual space defined by the aforementioned VRML 2.0 for example.

Next, the object management node 102 of the AO server 100 generates, at step S52, behavior data on the virtual living object 101, that is, behavior data

including moving directions and moving velocity of the bones and joints, and positions of the virtual living object 101 before and after the movement, based on the determined action and character (action and character parameters). The behavior data generated by the AO server 100 will be sent to the shared server 105.

The shared server 105 transmits, at step S53, to the client PCs 110, 120, 130, 140, ..., the behavior data on the virtual living object 101, transferred from the AO server 100, by the multi-casting facility 106.

Thereafter, the AO server 100 judges, at step S54, whether there has been received action data entered by the user of each client PC for the virtual living object in the virtual community space. The action data entered by the user at the client PC 110 is to command an action the user desires to have the virtual living object do, by clicking a desired one of icons indicative of actions displayed on the monitor screen for example or by entering a command consisting of a *kanji* character and a symbol in combination for example.

If no action data has been received from each client PC at step S54, the operation returns to step S51 where a next movement of the virtual living object will be determined.

On the other hand, if an action data on the virtual living object has been received from the client PC at step S54, the AO server 100 will re-determine, at step S55, an action and character of the virtual living object 101 in the virtual community space so as to correspond to the action data (updating of the action and

character parameters), and transmit to the shared server 105 a new behavior data based on the updated action and character parameters. Thus, the shared server 105 will transmit, by the multi-casting facility 106, to each client PC the new behavior data based on the updated action and character parameters.

Thereafter, the AO server 100 will judge, at step S56, whether the operation should be ended, and when it judges that the operation should not be ended, it will return to step S51 where it will repeat the above-mentioned operations.

FIG. 7 shows a flow of operations up to putting, by operation at the client PC 110, the virtual living object 101 displayed in the virtual community space into action based on the behavior data transmitted from the AO server 100 and transmission to the AO server 100 of an action the user has made to the virtual living object 101.

As shown in FIG. 7, the client PC 110 waits, at step S61, for reception of the behavior data on the virtual living object 101, transmitted from the AO server 100 via the shared server 105.

When the behavior data has been received at step S61, the client PC 110 implement, at step S62, various actions such as joint movement, voicing, facial expression, etc. of the virtual living object 101 in the virtual community space based on the behavior data under the standardized protocol.

Next, the client PC 110 will wait, at step S63, reception of an action data on the virtual living object 101 from the user. When no action data has been entered

from the user, the operation goes back to step S61. When an action data has been entered, the action data is transmitted, at step S64, to the AO server 100 via the shared server 105. Thus, in the AO server 100, the action and character parameters are updated according to the transmitted action data and behavior data based on the updated action and character parameters will be sent to the client PC 110. At the client PC 110, a virtual living object acting based on the behavior data will be displayed, that is, a virtual living object acting reflecting an action data entered by the user will be displayed.

Thereafter, the client PC 110 judges, at step S65, whether it should exit from the virtual community space. If it should not exit from the virtual community space, the operation goes back to step S61. If it should exit from the virtual community space, the operation is ended.

Referring now to FIG. 8, there is shown an example of parameter management table the object management node 102 of the AO server 100 has for each virtual living object.

As shown in FIG. 8, the parameter management table consists primarily of virtual living object data and user data.

The virtual living object includes a 3D (three-dimensional) ID for uniform identification of 3D virtual living objects in one virtual community space, 3D coordinate (address) of the virtual living object in the virtual community space, type of the virtual living object (e.g., human being, monkey, cat, etc.), sexuality of

the virtual living object, nickname or name the user has given to the virtual living object, date the user has made an initialization for the virtual living object (e.g., birthday of the virtual living object), name of a virtual community space where the virtual living object has first been put (name of the permanent address), and object parameters.

The object parameters include two major groups, one including the aforementioned structure and movement parameters of the virtual living object and the other including action and character parameters.

The structure and movement parameters define the height and weight, skeletal structure and movement of the bones and joints of the virtual living object. The action and character parameters define the behavior of the virtual living object in the virtual community space based on its action, character, etc.

The structure and movement parameters and the action and character parameters will be explained in detail below concerning a human type virtual living object.

FIG. 9 shows the skeletal structure and joint IDs of a human-like virtual living object. Assume that as shown in FIG. 9 for example, bones and joints of the human type living object are identified with IDs (joint ID) such as J1 to J15, respectively. As shown in FIG. 10 for example, the structure and movement parameters include a height (cm), weight (kg) of the virtual living object, joint IDs indicative of joints, respectively, of the skeletal structure of the virtual living object,

coordinate (address) of each joint, mating joint for each joint, interarticular length (cm), and limit of joint movement (angle, for example). These information are shown as examples. Actually, the structure and movement parameters include more information. In the example shown in FIG. 10, the joint identified with J2 is located at a coordinate (x21, y21, z21), it mates with the joints J1, J3 and J4, these mating joints J1, J3 and J4 are 20, 15 and 15 cm, respectively, in length, and the angle through which the joint J2 can be moved is 60 deg.

FIG. 11 shows an example of action and character parameters. As shown, the parameters include a physical index, appetite index, health index, life time remainder, intelligence quotient, speech performance index, sociability index, independence index, activity index and mood index of the virtual living object. The action and character parameters are updated to ones calculated, using a predetermined action and character parameter calculation formula, from a timer event taking place with an elapsed time from the birthday initially set by the user, and a co-event and action event developed at the client PC.

The action and character parameters are updated as will be described below taking a simple example.

Each of the indices included in the action and character parameters takes a value ranging from 1/10 to 10/10. The index is lowest at the value 1/10 and highest at the value 10/10.

For example, when the virtual living object 101 in the virtual community

space takes a meal with a higher appetite index, the physical index increases. The physical index will change depending upon the height and weight of the virtual living object. Thereafter, when a timer event takes place as the time passes, the weight included in the structure and movement parameters will decrease and thus the physical index will also decrease. In FIG. 11, the "life time remainder" indicates how long the virtual living object further survives, "intelligence quotient" indicates how intelligent the virtual living object is, "speech performance index" indicates how high the intelligence of the virtual living object is, "sociability index" indicates how sociable the virtual living object is, "independence index" indicates how independent the virtual living object is, "activity index" indicates how active the virtual living object is, and "mood index" indicates whether the virtual living body is in good or bad mood.

Each time the action and character parameters including the above-mentioned indices are updated, a corresponding behavior data is transferred to each client PC by the multi-casting facility 106 of the shared server 105. At each client PC, the behavior of the virtual living object is controlled based on the received behavior data. That is, at the client PC, a procedure for controlling the behavior of the virtual living object is described based on the received behavior data, a script program is executed, the value of a field of each node forming a 3D object, for representing a virtual living object in the VRML file is changed, a virtual living object reflecting the changed field value is rendered and displayed in the main

window of the VRML browser, for example, on the monitor screen of the client PC.

FIG. 12 shows a detailed configuration of the embodiment of information processing system shown in FIG. 1.

As shown in FIG. 12, system components indicated with references 1, 2 and 3 are the previously mentioned client PCs (110, 120, 130, ...) In which the VRML browser and WWW browser are installed. They are connected to an Internet 7 via IPs (Internet connection service Provider) 4, 5 and 6, respectively.

A LAN (local area network) 9 is connected to each client PC via the Internet 7 and router 8. The LAN 9 has connected thereto a WWW server 10, WLS (world location server) 11, shared server 12 (105), AO servers 13 and 14 (100), mail servers 15 and a communication server 16. The servers 10 to 16 have provided therein hard disc drives (HDD) 10a, 10b, 11a and 16a, respectively.

The communication server 16 is connected to a telephone 18 and facsimile 19 via a public telephone network 17, further to a PHS (personal handyphone system) terminal 23 via a PHS service provider 20, and to a pager terminal 24 via a paging service provider 21.

FIG. 13 is a hardware block diagram of the client PC 1 in FIG. 12.

As shown in FIG. 13, the client PC 1 includes a CPU 30 controlling all the component units of the client PC 1, a HDD 31 having stored therein the user data and a VRML content containing the VRML 2.0 file and Java-based virtual living object script program, a CD-ROM drive 32 to read the VRML content stored in a

CD-ROM disc 33, a ROM 34 having BIOS (basic input output system), etc. stored therein, a sound processing circuit 35 having connected thereto a microphone 36 and right and left speakers 37 and 38, a modem 38 used for connection to the Internet 7, an I/O (input/output) interface 40 having a mouse 41 and keyboard 42 connected thereto, a graphic processing circuit 43 incorporating a VRAM 44, a CRT monitor 45, a RAM 46, etc. The RAM 46 has written thereto a WWW browser (e.g., Netscape Navigator (trademark)) working on an OS (e.g., Windows of the Microsoft), interpreter (e.g., Java interpreter) and a VRML 2.0 browser (e.g., Community Place Browser developed by the Sony), which are executable under the control of the CPU 30.

The VRML 2.0 browser has installed therein a VRML syntax interpretation library (parser) (e.g., QvLib developed by the Silicon Graphics, USA and opened to the public with no charge) and a software renderer (e.g., RenderWare of the Criterion Software Ltd., UK).

As shown in FIG. 13, the VRML 2.0 browser in the client PC transmits and receives a variety of data to and from the WWW browser (e.g., Netscape Navigator) based on NCAPI (Netscape Client Application Programming Interface (trademark)) for example.

When supplied with an HTML file and VRML content (including a VRML file and script program) from the WWW server 10 via the Internet 7, the WWW browser stores the data into the local HDD 31. The WWW browser will process

the HTML file for display a text and image on the CRT monitor 45 while the VRML browser will process the VRML file for display a three-dimensional virtual space on the CRT monitor 45 and change the behavior of the object in the three-dimensional virtual space correspondingly to the result of processing of the script program by the interpreter.

Note the other client PCs 2 and 3 are similar in construction (not shown) to the client PC 1.

The information processing system constructed as shown in FIG. 12 functions as will be described below.

First, the VRML content is downloaded via the Internet 7 and then a virtual space is made a multi-user environment shared by a plurality of users. This procedure will be described below with reference to FIGS. 14 to 16. FIG. 14 shows the flow of operations from reading a home page at a web site serving VRML contents up to downloading of a VRML content to the client PC, FIG. 15 shows the flow of operations up to interpretation and execution of VRML 2.0 file by the client PC and inquiry of URL of the shared server, and FIG. 16 shows the flow of operations from reception by a plurality of client PCs of data on a three-dimensional object view the shared server up to implementation of a multi-user environment.

As shown in FIG. 14, first the WWW browser is used to read, as indicated by an arrow L1, a home page at a web site, for example, where the VRML content is

offered. Next, the users of the client PCs 1 and 2 download a VRML content including a VRML 2.0 file and a script program (e.g., Java-based script program) for implementation of a behavior in the VRML space, as indicated with an arrow L2. Of course, they may have the CD-ROM drive 32 read the CD-ROM 33 containing a VRML content.

Next, as shown in FIG. 15, at the client PCs 1 and 2, the VRML 2.0 file downloaded and once stored in the local HDD 31 is interpreted and executed by the VRML 2.0 browser, and an inquiry is made to the WLS 11 of URL of the shared server 12, as indicated with an arrow L3, based on VSCP (Virtual Society Server Client Protocol). At this time, the WLS 11 refers to a shared server URL management table stored in the HDD 11a and informs the client PCs 1 and 2 of the URL of the shared server 12, as indicated with an arrow L4.

The URL (Uniform Resource Locator) is used for the client PCs 1 and 2 to be connected to the shared server 12 as shown in FIG. 16. As a result, a shared message concerning the position and movement of the shared 3D (three-dimensional) object is transmitted via the shared server 12 as indicated with an arrow L5 and transferred as indicated with an arrow L6, thus a multi-user environment is implemented.

Note that the detailed description of the above connecting procedure is referred to the Japanese Unexamined Patent Publication No. 9-81781.

In the embodiment of the present invention, the information serving medium by which the computer program for execution of the above procedure is served to the user includes an information recording medium such as a magnetic disc and CD-ROM, and in addition, a network transmission medium such as Internet, digital communication satellite, etc.

WHAT IS CLAIMED IS:

1. An information processing system in which:

a server and a terminal are connected to each other via a network;

a virtual community space accessible from a plurality of such terminals is built;

a node for interpretation of the movement of a virtual living object is provided at each of the terminals; and

a management node for the virtual living object in the virtual community space is provided at the server.
2. The information processing system as set forth in Claim 1, wherein:

the movement interpretation node includes at least a parameter indicative of at least the structure of the virtual living object; and

the management node for the virtual living object manages at least the action of the virtual living object in the virtual community space based on the parameter in the movement interpretation node.
3. An information processing method comprising the steps of:

building a virtual living object;

connecting a terminal to a server via a network;

building a virtual community space based on information supplied from the server; and

transmitting the virtual living object along with a movement interpretation

node to the virtual community space.

4. The method as set forth in Claim 3, wherein the movement interpretation node includes a parameter indicative of at least the structure of the virtual living object.

5. An information processing method comprising the steps of:

connecting a server to a terminal via a network;

receiving a virtual living object built by the terminal and a movement interpretation node; and

generating a management node for the virtual living object in a virtual community space based on the movement interpretation node.

6. The method as set forth in Claim 5, wherein:

the movement interpretation node includes a parameter indicative of at least the structure of the virtual living object; and

the management node for the virtual living object manages at least the action of the virtual living object in the virtual community space based on the parameter in the movement interpretation node.

7. An information processing apparatus comprising:

means for building a virtual living object;

means for connecting a terminal to a server via a network;

means for building a virtual community space based on information from the server; and

means for transmitting the virtual living object along with the movement interpretation node to the virtual community space.

8. The apparatus as set forth in Claim 7, wherein the movement interpretation node includes a parameter indicative of at least the structure of the virtual living object.

9. An information processing apparatus comprising:

means for connecting a server to a terminal via a network;

means for receiving a virtual living object built by the terminal and a movement interpretation node; and

means for generating a management node for the virtual living object in a virtual community space based on the movement interpretation node.

10. The apparatus as set forth in Claim 9, wherein:

the movement interpretation node includes a parameter indicative of at least the structure of the virtual living object; and

the management node for the virtual living object manages at least the action of the virtual living object in the virtual community space based on the parameter in the movement interpretation node.

11. An information serving medium for serving a computer program comprising the steps of:

interpreting at least the structure of a virtual living object built as a one which can be provided in a virtual community space;

communicating with a master managing mechanism which manages the
virtual living object in the virtual community space; and
moving the built life object based on data generated by the master managing
mechanism to control at least the action of the virtual living object.

ABSTRACT OF THE DISCLOSURE

An AO server 100, shared server 105 and a client PC 110 are connected to one another via the Internet to build a virtual community space accessible from a plurality of client PCs 110, 120, 130, 140, A movement interpretation node 112 for a virtual living object 111 is provided at the client PC 110 for example, and an object management node 102 for the virtual living object 101 (111) in the virtual community space is provided at the AO server 100. Thus, the movement and structure of an object in a virtual space can freely be changed or modified.




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

PARAMETER MANAGEMENT TABLE

VIRTUAL LIVING OBJECT DATA										USER DATA			RESERVED
NO	3D OBJECT ID	COORDI-NATE	TYPE	SEXUALITY	NICK-NAME	BIRTH-DAY	PERMANENT-ADDRESS COMMUNITY SPACE	STRUCTURE AND MOVEMENT PARAMETERS	ACTION AND CHARACTER PARAMETERS	NAME	COMMUNI-CATING MEANS	CONTACT ADDRESS	
1	Obi1	x1,y1,z1	MONKEY	MALE	TARO	970112	ZOO				0		
2	Obi2	x2,y2,z2	CAT	FEMALE	MIKE	970210	PAEK				1		

COMMUNICATING MEANS

0	ELECTRONIC MAIL
1	TELEPHONE (ANALOG SOUND)
2	PHS MAIL SERVICE
3	FACSIMILE
4	PAGER
5	RESERVED
6	RESERVED
7	RESERVED

FIG.8




FIG.9

STRUCTURE AND MOVEMENT PARAMETERS						
HEIGHT (cm)	WIEGHT (kg)	JOINT ID	COORDINATE	MATING JOINT	INTERARTICULAR LENGTH (cm)	MOVING LIMIT (ANGLE)
180	70	J1	x11,y11,z11	J2	20	120
		J2	x21,y21,z21	J1,J3,J4	20,15,15	60
		J3	x31,y31,z31	J2,J5	15,30	240
		J4	x41,y41,z41	J2,J7	15,30	240

FIG.10

ACTION AND CHARACTER PARAMETERS									
PHYSICAL INDEX	APPETITE INDEX	HEALTH INDEX	LIFE TIME REMAINDER	INTELLIGENCE QUOTIENT	SPEECH PERFORMANCE INDEX	SOCIABILITY INDEX	INDEPENDENCE INDEX	ACTIVITY INDEX	MOOD INDEX
5/10	6/10	4/10	240	2/10	5/10	2/10	1/10	5/10	5/10

FIG.11




FIG.12




FIG.13




FIG.14




FIG. 15




FIG.16

SONY-T0291

BY EXPRESS MAIL NO. EL387309224US

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。	As a below named inventor, I hereby declare that:
私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。	My residence, post office address and citizenship are as stated next to my name.
下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。	I believe I am the original, first and sole inventor (if only one named is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled. INFORMATION PROCESSING SYSTEM, INFORMATION PROCESSING METHOD AND APPARATUS, AND INFORMATION SERVING MEDIUM
上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、 <input type="checkbox"/> 月 日に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、 （該当する場合） _____ に訂正されました。	the specification of which is attached hereto unless the following box is checked: <input type="checkbox"/> was filed on _____ as United States Application Number or PCT International Application Number _____ and was amended on _____ (if applicable).
私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
私は、連邦規則法典第37編第1条56項に定義されたとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.
私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国以外の国の少なくとも一ヶ国を指定している特許協力条約365(a)項に基づき国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。	I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.
Prior Foreign Application(s) 外国での先行出願 P11-065184 (Number) (番号)	Priority Not Claimed 優先権主張なし 11 March 1999 (Day/Month/Year Filed) (出願年月日)
Japan (Country) (国名)	

Japanese Language Declaration 日本語宣言書			
(Number) (番号)	(Country) (国名)	(Day/Month/Year Filed) (出願年月日)	
私は、第35編米国法典119条(e)項に基いて下記の米国特許出願規定に記載された権利をここに主張いたします。		I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.	
(Application No.) (出願番号)	(Filing Date) (出願日)	(Application No.) (出願番号)	(Filing Date) (出願日)
私は、下記の米国法典第35編120条に基いて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条(c)に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。		I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.	
(Application No.) (出願番号)	(Filing Date) (出願日)	(Status: Patented, Pending, Abandoned) (現況: 特許許可済、係属中、放棄済)	
(Application No.) (出願番号)	(Filing Date) (出願日)	(Status: Patented, Pending, Abandoned) (現況: 特許許可済、係属中、放棄済)	
私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じることに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。		I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may be jeopardize the validity of the application or any patent issued thereon.	

Japanese Language Declaration 日本語宣言書					
委任状： 私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。（弁理士、または代理人の氏名及び登録番号を明記のこと）			POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark office connected therewith (<i>list name and registration number</i>)		
Karl A. Limbach	18,689	Alfred A. Equitz	30,922	Mayumi Maeda	40,075
George C. Limbach	19,305	Charles P. Sammut	28,901	Kent J. Tobin	39,496
John K. Uilkema	20,282	Mark C. Pickering	36,239	Michael R. Ward	38,651
Neil A. Smith	25,441	Patricia Coleman James	37,155	Roger S. Sampson	44,314
Veronica C. Devitt	29,375	Kathleen A. Frost	37,326	Tina Chen	44,606
Ronald L. Yin	27,607	Alan A. Limbach	39,749	Charles L. Hamilton	42,624
Gerald T. Sekimura	30,103	Douglas C. Limbach	35,249	Andrew V. Smith	43,132
Michael A. Stallman	29,444	Seong-Kun Oh*		Eric N. Hoover	37,355
Philip A. Girard	28,848	Cameron A. King	41,897	J. Thomas McCarthy	22,420
Michael J. Pollock	29,098	Kyle L. Harrel	41,816	Joel G. Ackerman	24,307
Stephen M. Everett	30,050	* Recognition under 37 CFR 10.9(b)			
書類送付先			Send Correspondence to:		
			Charles P. Sammut, Esq. Limbach & Limbach L.L.P. 2001 Ferry Building San Francisco, CA 94111-4262		
直接電話連絡先：（名前及び電話番号）			Direct Telephone Calls to: (<i>name and telephone number</i>)		
			Charles P. Sammut (415) 433-4150		
唯一または第一発明者名			Full name of sole or first inventor:		
			KOICHI MATSUDA		
発明者の署名	日付	Inventor's signature		Date	
住所		Residence			
		Tokyo, Japan			
国籍		Citizenship			
		Japan			
私書箱		Post Office Address			
		c/o SONY CORPORATION 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, 141-0001 JAPAN			

Japanese Language Declaration 日本語宣言書	
第二共同発明者	Full name of second joint inventor, if any KOJI MATSUOKA
第二共同発明者 日付	Second inventor's signature Date
住所	Residence Kanagawa, Japan
国籍	Citizenship Japan
私書箱	Post Office Address c/o SONY CORPORATION 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, 141-0001 JAPAN
第三共同発明者	Full name of third joint inventor, if any MASASHI TAKEDA
第三共同発明者 日付	Third inventor's signature Date
住所	Residence Tokyo, Japan
国籍	Citizenship Japan
私書箱	Post Office Address c/o SONY CORPORATION 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, 141-0001 JAPAN